AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions and listings of claims in the application:

LISTING OF CLAIMS:

1. (original): A polycarbodiimide copolymer having a repeating structural unit represented by the following formula (1) in a number "m":

$$- \left(-R^1 - N = C = N - \right)$$
 (1)

(wherein R¹ means a naphthylene group) and a repeating structural unit represented by the following formula (2) in a number "n":

$$- \left(-R^2 - N = C = N - \right)$$
 (2)

(wherein R^2 means an organic diisocyanate residue other than the aforementioned R^1) and also having on both termini a terminal structural unit derived from a monoisocyanate, wherein m + n is from 3 to 200 and n/(m + n) is from 0.05 to 0.99.

- 2. (original): The polycarbodiimide copolymer according to claim 1, wherein n in the aforementioned formula is an integer of from 3 to 198.
- 3. (original): A solution of a polycarbodiimide copolymer, comprising an aprotic organic solvent and the polycarbodiimide copolymer of claim 1 dissolved therein.

AMENDMENT UNDER 37 C.F.R. § 1.111

U.S. Application No.: 10/773,296

4. (original): A solution of a polycarbodiimide copolymer, comprising an aprotic organic solvent and the polycarbodiimide copolymer of claim 2 dissolved therein.

Attorney Docket No.: Q79398

5. (currently amended): A method for producing a polycarbodiimide copolymer, which comprises carrying out carbodiimidation reaction of <u>naphthalene diisocyanate</u>, an organic diisocyanate <u>other than naphthalene diisocyanate</u>, and a monoisocyanate in the presence of a carbodiimidation catalyst, wherein the reaction is carried out at a temperature of from 0 to 120°C using 5% by mol or more of naphthalene diisocyanate based on the total organic isocyanate.